

Spooky2 8th December 2015 (c) John White

File Database Global Online Utils Advanced Menu Help

Search:  Clear  Customize

12/17/2015 4:06:31 PM Database

Abdominal Cramps	XTRA	72, 95, 190, 304
Abdominal Inflammation	CAPL	2720, 2489, 2170, 1865, 1800, 1600, 1550, 880, 832, 802, 787, 776, 727, 660, 465, 450, 444, 440, 428, 380, 146, 125, 95, 72, 20, 1.2
Abdominal Pain	CAPL	10000, 3000, 95, 3, 3040, 522, 440, 160, 124, 26
Abdominal Pain	XTRA	5000, 10000
Abscess Nocardia Asteroide	XTRA	228, 231, 237, 694, 710, 887, 2890, 11092.19, 11092.19
Abscesses 2	XTRA	2720, 2170, 1865, 1550, 880, 802, 787, 727, 500, 440
Abscesses 3	XTRA	2720, 2170, 1865, 1550, 880, 802, 787, 760, 727, 660

Program Options

Frequency Multiplier: 1, Repeat Every Freq: 1, Repeat Each Set: 1, Repeat Program: 0, Dwell Multiplier: 1

Amplitude Wobble: Disabled, Frequency Wobble: Disabled, Amplitude Ramp: 5, Pause Between: 08:01 pm and 08:01 pm

Out 1: 50, 50 %  
Out 2: 50, 50 %

Frequency Limits (Hz): > 0, < 0, Use Harmonic Type: Octal

Offset: 300, -100 %

Phase Angle: 0, 0

Apply

Reduce Amplitude < 10 kHz, 7.83 Hz Gate, Skip Concurrent Duplicate Freq, Remove Duplicate Frequencies, Autostart

Waveform: 1, X, Length, Ratio, %

1 0 2 0  
1 0 2 0  
1 0 2 0  
1 0 2 0  
1 0 2 0  
11 1 2  
8 0 2  
36 0 2  
36 0 2  
Lily 36 0 2 0  
Square Harmon 1 0 2 0

Follow Out: 1, Spike+Sync, Inverse+Sync, Spike Count: 0

Channel 4 User Data

Program: JK - Schumann Resonator

Enable Emails:  Send Screenshot:  Send Error Log:

Accelerate Healing (XTRA)

Notes

Total Run Time 00:03:00

Send Email Save As

GC:1 CH:4 DX:rw22801 RX: TE:0 WE:0 RE:3 CE:4 LE:rw22801 P0:0 P1:0 P2:0 P3:0 P4:0

JK-Schuman Resonator (シュウーマン共振周波数) プログラムをMN, BNリモートで実行するため、オリジナルプログラムのOffsetを±100%に変更する。

オリジナルのOffsetは、Out1, Out2 両方とも0 (0はリモートを1個とブーストケーブルのときの設定)

healingやdetoxなどで検索し周波数セットを選ぶ。

Spooky2 12/18/2015 11:32:16 AM Database

Search:  Clear  Customize

20 / 52

Fracture Healing	XTRA	28, 80
Fractures Bone	CUST	1028
Fractures Healing	CAPL	220, 230, 10000, 880, 787, 727
Healing 1	XTRA	1026, 1537, 2029
Healing 2	XTRA	1549, 3642, 7056
Healing 3	XTRA	0
Healing Acceleration	XTRA	20, 26, 33, 39, 45, 78, 23, 140, 200, 300, 330, 450, 783, 980

Program Options

Frequency Multiplier: 1, Repeat Every Freq: 1, Repeat Each Set: 1, Repeat Program: 0, Dwell Multiplier: 1

Amplitude Wobble: Disabled, Frequency Wobble: Disabled, Amplitude Ramp: 0, Pause Between: 08:01 pm and 08:01 pm

Out 1: 90, 90 %  
Out 2: 90, 90 %

Frequency Limits (Hz): > 0, < 0, Use Harmonic Type: Octal

Offset: 300, -100 %

Phase Angle: 0, 0

Apply

Reduce Amplitude < 10 kHz, 7.83 Hz Gate, Skip Concurrent Duplicate Freq, Remove Duplicate Frequencies, Autostart

Waveform: 1, X, Length, Ratio, %

1 0 2 0  
1 0 2 0  
1 0 2 0  
1 0 2 0  
1 0 2 0  
8 0 2  
8 0 2  
16 0 2  
16 0 2  
BXYB 1 0 2 0  
BXYB 1 0 2 0

Follow Out: 1, Spike+Sync, Inverse+Sync, Spike Count: 0

Channel 4 User Data

Program: JW - Healing (Remote)

Enable Emails:  Send Screenshot:  Send Error Log:

Healing 1 (XTRA)  
Healing 2 (XTRA)  
Healing 3 (XTRA)  
Healing Acceleration (XTRA)

Notes

These are John White's recommended settings for healing frequency sets. Healing frequencies should be applied using either square waves or sine waves.

Total Run Time 01:00:00

Send Email Save As

GC:1 CH:4 DX:rw22115 RX: TE:0 WE:0 RE:6 CE:4 LE:rw22115 P0:0 P1:0 P2:0 P3:0 P4:0

JW-Healing (Remote) John Witeの治癒プログラムをMN, BNリモートで実行するため、オリジナルプログラムのOffsetを±100%に変更する。

オリジナルのOffsetは、Out1, Out2 両方とも0 (0はリモートを1個とブーストケーブルのときの設定)

bacteria, virus, parasite, fungus, fungi, scabiesやLyme, cancerなどの特定の病名で検索し周波数セットを選ぶ。

**JW - Killing (Remote)** John Witeの殺菌プログラムをMN, BNリモートで実行するため、オリジナルプログラムのOffsetを±100%に変更する。  
 オリジナルのOffsetは、Out1, Out2 両方とも0 (0はリモートを1個とブーストケーブルのときの設定)

**JW - Killing**のデフォルト設定のまま用いてもよし、編集して用いることもできます。

**DH - Killing/Healing** David Hallidayのオールラウンドプログラム。殺菌、治癒、解毒で、全ての周波数セットで活用できます。  
 殺菌で用いる場合は、**Frequency Limits**で、「<」フィールドに**64000**を入れて低周波数を**64kHz**を超える高調波にします。  
 殺菌(Killing)プログラムを実施したら、解毒(Detox)プログラムを殺菌(Killing)プログラムの直後に実施するとよい。ジェネレータを**2**台使って**Killing**と**Detox**を同時に行う人もいます。  
**Detox 4 Toxins Throughout the Body CAFL** 周波数セットを用いるとよい。

**DH - Killing/Healing**  
 David Hallidayのオールラウンドプログラム。  
 殺菌、治癒、解毒で、全ての周波数セットで活用できます。  
 殺菌で用いる場合は、**Frequency Limits**で、「<」フィールドに**64000**を入れて低周波数を**64kHz**を超える高調波にします。  
 殺菌(Killing)プログラムを実施したら、解毒(Detox)プログラムを殺菌(Killing)プログラムの直後に実施するとよい。ジェネレータを**2**台使って**Killing**と**Detox**を同時に行う人もいます。  
**Detox 4 Toxins Throughout the Body CAFL**  
 周波数セットを用いるとよい。

Spooky2 8th December 2015 (c) John White

File Database Global Online Utils Advanced Menu Help

Search: spectrum Clear sk-Spectrum sweep

12/19/2015 8:07:49 PM Database

Clark Dual Spectrum Zapper CUST 2500=4200 D50 A9.5 0100,2500  
 Emotional Spectrum XTRA 72  
 Mold Spectrum Sweep CUST 185385.792-186614.208 W1 G0  
 Morgellons Slime Molds Swe CUST 145286.417-146713.583 W1 G0  
 Spooky Converge Sweep CUST 1595645.833-1662479.167=1500  
**Spooky Spectrum Sweep CUST 1595645.833-1662479.167=15080 W1 G0 A30 G0**  
 Wide Spectrum Antibiotic 4 CUST 727,787,802,880,465

Program Options

Frequency Multiplier 1 Duty Cycle 90 90 %  
 Repeat Every Freq 1 Amplitude 30 30 V  
 Repeat Each Set 1 Offset 300 -100 %  
 Repeat Program 1 Phase Angle 0 0

Out 1 Out 2 Frequency Limits (Hz)  
 > 0 Use Harmonic Type:  
 < 0 Octal  
 \* = Experimental

Amplitude Wobble Disabled 0 % 65 Steps  
 Frequency Wobble Disabled 0 % 65 Steps  
 Do NOT sort frequencies

Amplitude Ramp 0 Up Down  
 Pause Between 08:01 pm and 08:01 pm

Out 2 Control  
 Out 2 = (Out 1 X .25) + 0 Hz  
 Out 2 = (Out 1 X 1) + 0 Volts  
 Swap Waveform 0 Seconds  
 Copy Gate Stop when Out 1 stops

Waveform X Length Ratio %  
 96 0 2 100  
 1 0 2 0  
 1 0 2 0  
 1 0 2 0  
 11 0 2 0  
 11 0 2 0  
 15 0 2 0  
 16 0 2 0  
 16 0 2 0

Follow Out 1 Spike+Sync Inverse+Sync

Spooky 2 Spooky Spectrum Sweep  
 Wave=Sin, X=96, Spectrum=100%, Out2 = Out1 x .25 + 0 Hz, Out2 = Out1 x 1 Volts. Targets all pathogens. Far best results, use a Spooky Boost cable or add a second Spooky Remote on Out 2.

Channel 4 User Data  
 Program sk-Spectrum sweep  
 Allow Channel Overrides Every Time  
 Enable Email Send Screenshot Send Error Log  
 Email Message Spooky Spectrum Sweep (CUST)

左のようにプログラムオプション(Program Options)を設定し、プログラムに名前をつけて「+」を押して保存します。この例では、**sk-Spectrum sweep**として保存しています。

また、Repeat Programは、1 (1回で終了、所要時間は約4時間)  
 Offsetは、Out1 100%, Out2 -100%  
 Out2 Controlは、Out2=Out1 × .25  
 波形は、Out1は正弦波、96倍、Out2はFollow Out1  
 Spectrumは、100%  
 に設定しています。

Spooky2 8th December 2015 (c) John White

File Database Global Online Utils Advanced Menu Help

Search: spectrum Clear sk-Converge sweep

12/19/2015 8:08:45 PM Database

Clark Dual Spectrum Zapper CUST 2500=4200 D50 A9.5 0100,250000=12600,2500=4200,250000=12600,2500=4200,250000=12600,50=10800  
 Emotional Spectrum XTRA 72  
 Mold Spectrum Sweep CUST 185385.792-186614.208 W1 G0  
 Morgellons Slime Molds Swe CUST 145286.417-146713.583 W1 G0  
**Spooky Converge Sweep CUST 1595645.833-1662479.167=1500**  
 Spooky Spectrum Sweep CUST 1595645.833-1662479.167=15080  
 Wide Spectrum Antibiotic 4 CUST 727,787,802,880,465

Program Options

Frequency Multiplier 1 Duty Cycle 90 90 %  
 Repeat Every Freq 1 Amplitude 30 30 V  
 Repeat Each Set 1 Offset 300 -100 %  
 Repeat Program 1 Phase Angle 0 0

Out 1 Out 2 Frequency Limits (Hz)  
 > 0 Use Harmonic Type:  
 < 0 Octal  
 \* = Experimental

Amplitude Wobble Disabled 0 % 65 Steps  
 Frequency Wobble Disabled 0 % 65 Steps  
 Do NOT sort frequencies

Amplitude Ramp 0 Up Down  
 Pause Between 08:01 pm and 08:01 pm

Out 2 Control  
 Out 2 = (Out 1 X -1) + 3258125 Hz  
 Out 2 = (Out 1 X 1) + 0 Volts  
 Swap Waveform 0 Seconds  
 Copy Gate Stop when Out 1 stops

Waveform X Length Ratio %  
 96 0 2 100  
 1 0 2 0  
 1 0 2 0  
 1 0 2 0  
 11 0 2 0  
 11 0 2 0  
 15 0 2 0  
 16 0 2 0

Follow Out 1 Spike+Sync Inverse+Sync

Spooky 2 Spooky Converge Sweep  
 Wave=Sin, X=96, Spectrum=100%, Out2 = Out1 x -1 + 3258125 Hz, Out2 = Out1 x 1 Volts. Targets all pathogens. Requires either a Spooky Boost cable or add a second Spooky Remote on Out 2.

Channel 4 User Data  
 Program sk-Converge sweep  
 Allow Channel Overrides Every Time  
 Enable Email Send Screenshot Send Error Log  
 Email Message Spooky Converge Sweep (CUST)

左のようにプログラムオプション(Program Options)を設定し、プログラムに名前をつけて「+」を押して保存します。この例では、**sk-Converge sweep**として保存しています。

また、Repeat Programは、1 (1回で終了、所要時間は約4時間)  
 Offsetは、Out1 100%, Out2 -100%  
 Out2 Controlは、Out2=Out1 × -1 + 3258125  
 波形は、Out1は正弦波、96倍、Out2はFollow Out1  
 Spectrumは、100%  
 に設定しています。